

Program EVALPLOT
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net

Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 4307

α Major

43-Tc-93


0 Kelvin Cross Sections




MAT 4307


α Neutron Absorption


43-Tc-93



0 Kelvin Cross Sections










MAT 4307

43-Tc-93


(α, p) Levels
0 Kelvin Cross Sections







0 Kelvin Cross Sections




MAT 4307

(α, α) Levels

43-Tc-93

0 Kelvin Cross Sections




Incident Energy (MeV)

43-Tc-93

MAT 4307

43-Tc-93

Inelastic
Radionuclide Production Cross Section



43-Tc-93

Incident Energy (MeV)


11

MAT 4307

(n,2n)

43-Tc-93

Radionuclide Production Cross Section




12

Incident Energy (MeV)

43-Tc-93

Radionuclide Production Cross Section




MAT 4307

(n,2n) p

43-Tc-93

Radionuclide Production Cross Section




14

Incident Energy (MeV)

43-Tc-93

Radionuclide Production Cross Section




42-Mo-91g
42-Mo-91m1

MAT 4307

43-Tc-93

(n, γ)
Radionuclide Production Cross Section



— 45-Rh-97g
- - - 45-Rh-97m1

16


43-Tc-93

Incident Energy (MeV)

MAT 4307

43-Tc-93

(n,He-3)
Radionuclide Production Cross Section



17


Incident Energy (MeV)

43-Tc-93

MAT 4307

43-Tc-93

(n, α)
Radionuclide Production Cross Section



18


Incident Energy (MeV)

43-Tc-93

MAT 4307

43-Tc-93

(n,2α)
Radionuclide Production Cross Section



19

Incident Energy (MeV)


43-Tc-93

MAT 4307

(n,2p)

43-Tc-93


Radionuclide Production Cross Section




Incident Energy (MeV)

43-Tc-93

Radionuclide Production Cross Section



Radionuclide Production Cross Section



Radionuclide Production Cross Section

