

Program EVALPLOT
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net

Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 9225

Photon Major

92-U -234

0 Kelvin Cross Sections



1


Incident Energy (MeV)

92-U -234

MAT 9225

Photon Neutron Absorption
0 Kelvin Cross Sections

92-U -234




Incident Energy (MeV)

92-U -234

MAT 9225

Photon Neutron Absorption
0 Kelvin Cross Sections

92-U -234




92-U -234

Incident Energy (MeV)


MAT 9225

Photon Charged Particle
0 Kelvin Cross Sections

92-U -234




Photon Fission
0 Kelvin Cross Sections



MAT 9225

92-U -234

(γ, n') Levels
0 Kelvin Cross Sections



6


Incident Energy (MeV)

92-U -234

MAT 9225

(γ, p) Levels
0 Kelvin Cross Sections

92-U -234



7


Incident Energy (MeV)

92-U -234

MAT 9225

(γ, d) Levels
0 Kelvin Cross Sections


92-U -234



MAT 9225

(γ, t) Levels
0 Kelvin Cross Sections

92-U -234



Incident Energy (MeV)


92-U -234

MAT 9225

(γ, α) Levels

92-U -234


0 Kelvin Cross Sections



10

Incident Energy (MeV)


92-U -234



MAT 9225

Fission Energy Distributions


92-U -234



MAT 9225

Fission Energy Distributions

92-U -234



Line Style	Energy (MeV)
Solid	12.35
Dotted	12.85
Dash-dot	13.35
Dashed	13.85
Long Dash	14.85
Short Dash	15.85
Medium Dash	16.85
Thin Dash	17.85
Thick Dash	18.85

MAT 9225

Fission Energy Distributions

92-U -234

