

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 3325

Total

33-As-75

Cross Section -87.10 To 5047. %



10^{-5} 10^{-4} 10^{-3} 10^{-2} 10^{-1} 10^0 10^1 10^2 10^3 10^4 10^5 10^6 10^7 10^8

1

Incident Energy (eV)


33-As-75

MAT 3325

Elastic

33-As-75

Cross Section -89.45 To 9999. %





10^{-5} 10^{-4} 10^{-3} 10^{-2} 10^{-1} 10^0 10^1 10^2 10^3 10^4 10^5 10^6 10^7 10^8


2


Incident Energy (eV)

33-As-75











MAT 3325


$$(n, n') \propto$$


33-AS-75

Cross Section -100.0 To 49.97 %












MAT 3325 MT= 52 (n,n') Level 33-As-75
 Cross Section -100.0 To 9999. %







MAT 3325 MT= 54 (n,n') Level 33-As-75
Cross Section -100.0 To 815.3 %




MAT 3325 MT= 55 (n,n') Level 33-As-75
Cross Section -100.0 To 9999. %




MAT 3325 MT= 56 (n,n') Level 33-As-75
Cross Section -100.0 To 9999. %



15 Incident Energy (eV) 33-As-75





MAT 3325 MT= 58 (n,n') Level 33-As-75
Cross Section -100.0 To 9999. %




17 Incident Energy (eV) 33-As-75


MAT 3325 MT= 59 (n,n') Level 33-As-75
Cross Section -100.0 To 9999. %









MAT 3325 MT= 62 (n,n') Level 33-As-75
Cross Section -100.0 To 9999. %



MAT 3325 MT= 63 (n,n') Level 33-As-75
Cross Section -100.0 To 9999. %



MAT 3325 MT= 64 (n,n') Level 33-As-75
Cross Section -100.0 To 9999. %



MAT 3325


MT= 65 (n,n')


Level

33-As-75


Cross Section


-100.0 To 9999. %





Cross Section -100.0 To 9999. %






MAT 3325


MT= 69 (n,n') Level

33-As-75

Cross Section

-100.0 To 9999. %







29


33-As-75

MAT 3325 MT= 71 (n,n') Level 33-As-75
Cross Section -100.0 To 9999. %







MAT 3325 MT= 73 (n,n') Level 33-As-75
Cross Section -100.0 To 9999. %



MAT 3325 MT= 74 (n,n') Level 33-As-75
 Cross Section -100.0 To 122.9 %



MAT 3325 MT= 75 (n,n') Level 33-As-75
 Cross Section -100.0 To 640.6 %



MAT 3325


MT= 76 (n,n')

Level


33-As-75

Cross Section


-100.0 To 9999. %




MAT 3325 MT= 77 (n,n') Level 33-As-75
 Cross Section -100.0 To 116.6 %





MAT 3325 MT= 78 (n,n') Level 33-As-75
 Cross Section -100.0 To 9999. %



MAT 3325 MT= 79 (n,n') Level 33-As-75
Cross Section -100.0 To 9999. %








Cross Section (barns)


Ratio


40


Incident Energy (eV)


33-As-75













MAT 3325


$$(n, \alpha)$$


33-AS-75


Cross Section -100.0 To 336.5 %


















MAT 3325

Kerma elastic
Cross Section

33-As-75

-89.45 To 9999. %





53

Incident Energy (eV)


33-As-75

MAT 3325 Kerma non-elastic (all but mt2) 33-As-75
 Cross Section -9999. To 9999. %







MAT 3325 Kerma fission (mt18 or mt19-20-21-38) 33-As-75
Cross Section -100.0 To 8156. %




Cross Section -100.0 To 9999. %






MAT 3325 Total kinematic kerma (high limit) 33-As-75
Cross Section -77.53 To 9999. %





MAT 3325 Dpa total (eV-barns) 33-As-75
Cross Section -77.64 To 9999. %



60 Incident Energy (eV) 33-As-75

MAT 3325 Dpa elastic (mt2) 33-As-75
Cross Section -89.46 To 9999. %





MAT 3325 Dpa disappearance (mt102 -120) 33-As-75
Cross Section -100.0 To 9999. %

