

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way

Livermore, CA 94550


U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net


Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start






























MAT 7640 MT= 51 (n,n') Level 76-0s-189
Cross Section 19.88 To 9999. %



12 Incident Energy (eV) 76-0s-189


MAT 7640

MT= 52 (n,n') Level

76-0s-189

Cross Section

-98.58 To 1361. %





MAT 7640


MT= 53 (n, n') Level

76-05-189


Cross Section	93.78	To 9999. %








MAT 7640 MT= 56 (n,n') Level 76-0s-189
Cross Section 86.78 To 6412. %




MAT 7640 MT= 57 (n,n') Level 76-0s-189
Cross Section -96.61 To 1084. %




18 Incident Energy (eV) 76-0s-189


MAT 7640 MT= 58 (n,n') Level 76-0s-189
Cross Section -95.62 To 510.7 %




MAT 7640 MT= 59 (n,n') Level 76-0s-189
Cross Section -94.11 To 213.8 %




MAT 7640	MT= 60 (n,n')	Level	76-Os-189
	Cross Section	-18.61 To 9999. %	







MAT 7640	MT= 62 (n,n')	Level	76-Os-189
	Cross Section	-86.76 To 286.6 %	




MAT 7640 MT= 63 (n,n') Level 76-0s-189
Cross Section -85.51 To 1067. %




MAT 7640 MT= 64 (n,n') Level 76-Os-189
Cross Section 29.12 To 9999. %







MAT 7640 MT= 66 (n,n') Level 76-Os-189
Cross Section -100.0 To 2199. %




MAT 7640 MT= 67 (n,n') Level 76-0s-189
Cross Section -83.63 To 807.2 %




MAT 7640 MT= 68 (n,n') Level 76-0s-189
 Cross Section -85.50 To 313.5 %




MAT 7640 MT= 69 (n,n') Level 76-0s-189
Cross Section -93.00 To 568.4 %




30 Incident Energy (eV) 76-0s-189




MAT 7640 MT= 71 (n,n') Level 76-0s-189
Cross Section 51.82 To 9999. %




MAT 7640 MT= 72 (n,n') Level 76-Os-189
Cross Section -100.0 To 9999. %




MAT 7640 MT= 73 (n,n') Level 76-Os-189
Cross Section -100.0 To 433.9 %




MAT 7640 MT= 74 (n,n') Level 76-Os-189
Cross Section -82.19 To 844.9 %






MAT 7640 MT= 76 (n,n') Level 76-0s-189
Cross Section -94.26 To 336.9 %





37 Incident Energy (eV) 76-0s-189


MAT 7640 MT= 77 (n,n') Level 76-Os-189
Cross Section -100.0 To 291.5 %




MAT 7640 MT= 78 (n,n') Level 76-Os-189
Cross Section -97.64 To 1146. %










MAT 7640 (n,n') Continuum 76-Os-189
Cross Section -97.56 To 45.12 %





42 Incident Energy (eV) 76-Os-189





























MAT 7640 Kerma total (eV-barns) 76-0s-189
Cross Section -91.29 To 5940. %




MAT 7640 Kerma elastic 76-0s-189
Cross Section -87.25 To 1353. %




MAT 7640 Kerma non-elastic (all but mt2) 76-Os-189
 Cross Section -91.41 To 9999. %







MAT 7640 Kerma fission (mt18 or mt19-20-21-38)76-0s-189
Cross Section 22.38 To 9999. %




MAT 7640 Kerma capture (mt102) 76-0s-189
Cross Section -94.07 To 9999. %



59 Incident Energy (eV) 76-0s-189




MAT 7640 Total kinematic kerma (high limit) 76-0s-189
Cross Section -91.31 To 5927. %




61 Incident Energy (eV) 76-0s-189

MAT 7640 Dpa total (eV-barns) 76-0s-189
Cross Section -93.07 To 9999. %




62 Incident Energy (eV) 76-0s-189

MAT 7640 Dpa elastic (mt2) 76-0s-189
Cross Section -41.02 To 128.6 %




63 Incident Energy (eV) 76-0s-189

MAT 7640 Dpa inelastic (mt51-91) 76-0s-189
Cross Section 45.85 To 9999. %



MAT 7640 Dpa disappearance (mt102 -120) 76-0s-189
Cross Section -93.07 To 9999. %



65 Incident Energy (eV) 76-0s-189