

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 7643


Total


76-05-190


Cross Section -99.89 To 9999. %





Incident Energy (eV)


























MAT 7643 MT= 51 (n,n') Level 76-Os-190
 Cross Section -100.0 To 284.5 %








MAT 7643 MT= 53 (n,n') Level 76-0s-190
Cross Section -100.0 To 30.61 %




13 Incident Energy (eV) 76-0s-190








MAT 7643 MT= 57 (n,n') Level 76-0s-190
Cross Section -85.11 To -21.16%




17 Incident Energy (eV) 76-0s-190

MAT 7643 MT= 58 (n,n') Level 76-0s-190
Cross Section -100.0 To 2348. %



MAT 7643	MT= 59 (n,n')	Level	76-0s-190
	Cross Section	2.411	To 9999. %





MAT 7643


MT= 60 (n, n') Level


76-05-190

Cross Section -100.0 To 25.70 %














MAT 7643 MT= 64 (n,n') Level 76-0s-190
Cross Section -100.0 To 102.0 %
















MAT 7643

MT= 70 (n, n') Level


76-05-190


Cross Section -100.0 To 9999. %







MAT 7643 MT= 72 (n,n') Level 76-0s-190
 Cross Section -100.0 To 9999. %










MAT 7643 MT= 75 (n,n') Level 76-0s-190
Cross Section -89.06 To 438.7 %














MAT 7643	MT= 79 (n,n')	Level	76-0s-190
	Cross Section	0.000	To 9999. %




































MAT 7643

Kerma total (eV-barns)

76-05-190

Cross Section -99.89 To 9999. %




52

Incident Energy (eV)


76-05-190

MAT 7643 Kerma non-elastic (all but mt2) 76-Os-190
Cross Section -100.0 To 9999. %




10^{-5} 10^{-4} 10^{-3} 10^{-2} 10^{-1} 10^0 10^1 10^2 10^3 10^4 10^5 10^6 10^7 10^8


54 Incident Energy (eV) 76-Os-190




MAT 7643Kerma fission (mt18 or mt19-20-21-38)76-0s-190
Cross Section -9999. To 9999. %




MAT 7643 Kerma capture (mt102) 76-0s-190
Cross Section -100.0 To 9999. %







MAT 7643 Total kinematic kerma (high limit) 76-0s-190
Cross Section -99.89 To 9999. %



59 Incident Energy (eV) 76-0s-190




MAT 7643 Dpa elastic (mt2) 76-0s-190
Cross Section -96.24 To 9999. %



61 Incident Energy (eV) 76-0s-190

MAT 7643 Dpa inelastic (mt51-91) 76-0s-190
Cross Section 0.763 To 79.31 %



62 Incident Energy (eV) 76-0s-190

MAT 7643 Dpa disappearance (mt102 -120) 76-0s-190
Cross Section -100.0 To 9999. %

