

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 9128

Total

91-Pa-230

Cross Section -47.76 To 518.0 %



1

Incident Energy (eV)


91-Pa-230

MAT 9128

Elastic

91-Pa-230

Cross Section -16.75 To 29.12 %



2

Incident Energy (eV)


91-Pa-230

MAT 9128

Inelastic

91-Pa-230

Cross Section -100.0 To 146.8 %



3

Incident Energy (eV)


91-Pa-230

MAT 9128

(n,2n)

91-Pa-230

Cross Section -100.0 To 556.6 %



4

Incident Energy (eV)


91-Pa-230

MAT 9128

(n,3n)

91-Pa-230

Cross Section -84.54 To 9999. %




5

Incident Energy (eV)

91-Pa-230

MAT 9128

Fission  
Cross Section -58.70 To 523.2 %




MAT 9128


(n,4n)

91-Pa-230

Cross Section -100.0 To 213.1 %



MAT 9128 MT= 51 (n, n') Level 91-Pa-230  
 Cross Section -100.0 To 9999. %




MAT 9128

(n, n') Continuum

91-Pa-230

Cross Section -17.96 To 9999. %




MAT 9128

(n,  $\gamma$ )

91-Pa-230

Cross Section -18.28 To 9999. %




10

Incident Energy (eV)

91-Pa-230


MAT 9128 Kerma total (eV-barns) 91-Pa-230  
 Cross Section -57.39 To 542.9 %




MAT 9128

Kerma elastic  
Cross Section

91-Pa-230  
-42.24 To 29.12 %




MAT 9128 Kerma non-elastic (all but mt2) 91-Pa-230  
 Cross Section -57.39 To 542.9 %




13 Incident Energy (eV) 91-Pa-230

MAT 9128 Kerma inelastic (mt51-91) 91-Pa-230  
 Cross Section -9999. To 9999. %




MAT 9128 Kerma fission (mt18 or mt19-20-21-38) 91-Pa-230  
 Cross Section -57.39 To 542.9 %



MAT 9128


Kerma capture (mt102) 91-Pa-230  
Cross Section -11.56 To 9999. %




16

Incident Energy (eV) 91-Pa-230

MAT 9128 Total photon (eV-barns) 91-Pa-230  
 Cross Section 275.6 To 9999. %



MAT 9128 Total kinematic kerma (high limit) 91-Pa-230  
 Cross Section -55.63 To 569.4 %




MAT 9128

Dpa total (eV-barns)

91-Pa-230

Cross Section -58.68 To 523.5 %




MAT 9128

Dpa elastic (mt2)


91-Pa-230

Cross Section


-41.47 To 11.15 %




MAT 9128 Dpa inelastic (mt51-91) 91-Pa-230  
 Cross Section -100.0 To 788.6 %



MAT 9128 Dpa disappearance (mt102 -120) 91-Pa-230  
 Cross Section -100.0 To 9999. %



MAT 9128      Dpa total (eV-barns)      91-Pa-230  
 Cross Section      -58.68 To 523.5 %




MAT 9128

Dpa elastic (mt2)


91-Pa-230

Cross Section

-41.47 To 11.15 %



MAT 9128      Dpa inelastic (mt51-91)      91-Pa-230  
 Cross Section      -100.0 To 788.6 %



MAT 9128 Dpa disappearance (mt102 -120) 91-Pa-230  
 Cross Section -100.0 To 9999. %

