

Program Complot
(Version 2021-1)

by


Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 3443

Elastic

³⁴Se-80

Cross Section -99.99 To 2644. %





10⁻⁵ 10⁻⁴ 10⁻³ 10⁻² 10⁻¹ 10⁰ 10¹ 10² 10³ 10⁴ 10⁵ 10⁶ 10⁷ 10⁸


2


Incident Energy (eV)


³⁴Se-80


















MAT 3443 MT= 51 (n,n') Level 34-Se-80
 Cross Section -100.0 To 61.57 %








MAT 3443 MT= 53 (n,n') Level 34-Se-80
 Cross Section -100.0 To 890.8 %



































22


34-Se-80







MAT 3443 MT= 67 (n,n') Level 34-Se-80
Cross Section -100.0 To 5465. %











MAT 3443 MT= 70 (n,n') Level 34-Se-80
Cross Section -100.0 To 1772. %















MAT 3443 MT= 75 (n,n') Level 34-Se-80
Cross Section -100.0 To 5635. %




MAT 3443 MT= 76 (n,n') Level 34-Se-80
Cross Section -100.0 To 120.2 %









MAT 3443 MT= 79 (n,n') Level 34-Se-80
Cross Section -100.0 To 108.6 %








MAT 3443

(n, γ)

³⁴Se-80


Cross Section -100.0 To 9999. %





40


Incident Energy (eV)


³⁴Se-80


















MAT 3443 Deuterium Production ³⁴Se-80
 Cross Section -100.0 To 2803. %





47 Incident Energy (eV) ³⁴Se-80













MAT 3443 Kerma non-elastic (all but mt2) 34-Se-80
Cross Section -442.8 To 9999. %




53


Incident Energy (eV)


34-Se-80




MAT 3443Kerma fission (mt18 or mt19-20-21-38) 34-Se-80
Cross Section -100.0 To 9999. %









MAT 3443 Total kinematic kerma (high limit) 34-Se-80
Cross Section -98.08 To 7171. %




58 Incident Energy (eV) 34-Se-80



MAT 3443 Dpa elastic (mt2) 34-Se-80
 Cross Section -99.99 To 2644. %





MAT 3443 Dpa disappearance (mt102 -120) 34-Se-80
Cross Section -100.0 To 9999. %

